



# SMART CATALOG

Q2 | 2022

## NETWORK

---

- 03** SMARTGUARDIAN MOBILE APP
- 04** ECONOMIC CAMERAS
- 06** SMART CAMERAS
- 07** AI CAMERAS
- 10** SPECIALTY IP
- 11** NVRS

## HD ANALOG

---

- 12** FIX LENS
- 14** MOTORIZED
- 15** SPECIALTY ANALOG
- 16** DVRS
- 17** KITS
- 18** HD ANALOG ACCESSORIES
- 19** NETWORK ACCESSORIES
- 20** MOUNTING ACCESSORIES
- 21** SPECIAL ORDERS
- 22** MODEL CHART
- 23** GSD CONTACT INFO



# MOBILE APP




**FAVORITE**  
CREATE YOUR CUSTOM LIST FROM DIFFERENT CAMERAS



**SEARCH**  
SELECT UP TO 16 CAMERAS FOR INSTANT SEARCH

**AI SEARCH**  
SEARCH BY HUMAN OR VEHICLE WITH SPECIFIC DATE FRAME FACIAL RECOGNITION

**PUSH NOTIFICATION**  
SELECT WHICH NOTIFICATION TO RECEIVE  
MOTION / ALARM / HUMAN & VEHICULE DETECTION  
FACIAL / HDD ERROR / VIDEO LOST




**2 WAY AUDIO**  
LISTEN OR SPEAK TRHU THE APP  
**ALARM**  
TRIGGER YOUR ALARM RELAYS

**RECORD**  
RECORD ON MOBILE DEVICE SNAPSHOT OR VIDEO FILES

**SAVE & SHARE**  
EASILY SAVE & SHARE FILES

**REMOTE CONFIGURATION**  
ACCESS EACH DEVICE SETUP REMOTELY WITH FULL ACCESS



## MAIN FEATURES

- Multiple live view windows (up to 400 camera)
- Fast playback with ai human & vehicule detection
- Dual streaming to optimize rhe bandwidth
- Easy backup in avi or mpeg4 format
- Auto-login features with saved layout
- P2P connection with an easy serial code



## REMOTE CONFIGURATION

- Access each device setup remotely with full access



## SAVE TIME ON YOUR EVENT SEARCH WITH A.I

- Search by human or vehicule detection
- Search by Facial Recognition
- AI search available on all channel simultaneously
- Set a time frame
- Backup picture in avi or mpeg4 format
- AI advanced search



## LIVE VIEW

- Live view up to 128 channel per windows
- Digital or motorized zoom in any camera
- Create a favorite from different site
- Auto show of the camera when vms start
- 24 differents division view type
- Two way audio (listen & talk)
- Real time alarm notification (human, vehicule, input trigger)



## EASY REMOTE PLAYBACK

- Search by time / date
- Synchronous or single playback
- Digital zoom on each camera
- Set your main ou sub bandwidth
- Backup in avi or mpeg4 files
- Smart search by ROI

# VIDEO MANAGEMENT SOFTWARE PRO

ECONOMIC CAMERAS

SMART CAMERAS

AI CAMERAS

SPECIALTY IP

NVRS

**EYEBALL**  
EB2FDAIP2MP28-PIR-L



**5MP**  
**LENS**  
2.8MM  
**IR**  
20M  
**LUX**  
0.001



**OPTION**  
✓ MICROPHONE  
✓ PIR

Onvif®

POE	5W / 7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: WMB2  
JUNCTION BOX: EB3BASE1 - TEBBASE1

🌡️ -30~+55°C 🏠/🌳

**EYEBALL**  
EB2FDAIP5MP28-B-L



**5MP**  
**LENS**  
2.8MM  
**IR**  
20M  
**LUX**  
0.001



**OPTION**  
✓ MICROPHONE

Onvif®

POE	5W / 7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	BLACK

WALL SUPPORT: WMB2-B  
JUNCTION BOX: EB3BASE1-B - TEBBASE1-B

🌡️ -30~+55°C 🏠/🌳

**EYEBALL**  
EB2FDAIP8MP28-L



**8MP**  
**LENS**  
2.8MM  
**IR**  
20M  
**LUX**  
0.001



**OPTION**  
✓ MICROPHONE  
✓ PIR

Onvif®

POE	8W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: WMB2  
JUNCTION BOX: EB3BASE1 - TEBBASE1

🌡️ -30~+55°C 🏠/🌳

**EYEBALL**  
TEBFDAIP5MP28-L-B



**5MP**  
**LENS**  
2.8MM  
**IR**  
30M  
**LUX**  
0.001



**OPTION**  
✓ BUILT-IN MICROPHONE

Onvif®

POE	5W / 7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	BLACK

WALL SUPPORT: WMB2-B  
JUNCTION BOX: EB3BASE1-B - TEBBASE1-B

🌡️ -30~+55°C 🏠/🌳 IP66

**TURRET**  
T2IP2MP28-L



**2MP**  
**LENS**  
2.8MM  
**IR**  
30M  
**LUX**  
0.001



**OPTION**  
✗ NONE

Onvif®

POE	5W / 7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE4-G OR WMB5  
JUNCTION BOX: EB3BASE4

🌡️ -30~+55°C 🏠/🌳

**TURRET**  
T2IP5MP28-L



**5MP**  
**LENS**  
2.8MM  
**IR**  
30M  
**LUX**  
0.001



**OPTION**  
✓ AUDIO IN/OUT

Onvif®

POE	5W / 7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE4-G OR WMB5  
JUNCTION BOX: EB3BASE4

🌡️ -30~+55°C 🏠/🌳

**TURRET**  
T2IP8MP28-L-N



**8MP**  
**LENS**  
2.8MM  
**IR**  
30M  
**LUX**  
0.001



**OPTION**  
✓ AUDIO IN/OUT

Onvif®

POE	5W / 7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	BLACK

WALL SUPPORT: WMB6 + EB3BASE4-G OR WMB5  
JUNCTION BOX: EB3BASE4

🌡️ -30~+55°C 🏠/🌳 IP66

**BULLET**  
B2IP2MP28-PIR-32G-L



**2MP**  
**LENS**  
2.8MM  
**IR**  
25M  
**LUX**  
0.001



**OPTION**  
✓ MICROPHONE  
✓ PIR DETERRENCE  
✓ SPEAKER / 32G SD

Onvif®

POE	5W / 7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: INCLUDED  
JUNCTION BOX: EB3BASE4

🌡️ -30~+55°C 🏠/🌳

ECONOMIC CAMERAS

SMART CAMERAS

AI CAMERAS

SPECIALTY IP

NVRS

DOME

D2FDA28IP2MP-L



OPTION  
✓MICROPHONE

2MP

LENS  
2.8MM

IR  
30M

LUX  
0.001

Onvif®

POE	5W / 7W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

WALL SUPPORT: WMB6 + D2BASE1-G OR WMB2

JUNCTION BOX: EB3BASE5 OR D2BASE1

🌡️ -30~+55°C 🏠/🌲

MINI DOME

D2FDA28IP5MP-L



OPTION  
✓MICROPHONE

5MP

LENS  
2.8MM

IR  
30M

LUX  
0.001

Onvif®

POE	5W / 7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: WMB6 + D2BASE1-G OR WMB2

JUNCTION BOX: EB3BASE5 OR D2BASE1

🌡️ -30~+55°C 🏠/🌲

VANDAL DOME

D6Z2812IP5MP-L



OPTION  
✓AUDIO IN/OUT  
✓ALARM BNC

5MP

LENS  
2.8-12MM

IR  
40M

LUX  
0.001

Onvif®

POE	5W / 7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5

JUNCTION BOX: EB3BASE3

🌡️ -30~+55°C 🏠/🌲

ECONOMIC CAMERAS

SMART CAMERAS

AI CAMERAS

SPECIALTY IP

NVRS

**FLAT DOME**  
FLF28D4MP



4MP

LENS  
2.8-12MM

IR  
20M

LUX  
0.001

Onvif®

OPTION

- ✓ ANALYTICS
- ✓ AUDIO IN/OUT
- ✓ SD CARD BNC

POE	5W / 7W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE4-G OR WMB2  
JUNCTION BOX: EB3BASE4

🌡️ -30~+55°C 🏠/🌳

**MINI DOME**  
D2Z2881P5MP



5MP

LENS  
2.8-8MM

IR  
30M

LUX  
0.001

Onvif®

OPTION

- ✓ ANALYTICS

POE	5W / 7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE4-G OR WMB2  
JUNCTION BOX: EB3BASE4

🌡️ -30~+55°C 🏠/🌳

**BULLET**  
B6Z550IP5MP



5MP

LENS  
5-50MM

IR  
70M

LUX  
0.001

Onvif®

OPTION

- ✓ ANALYTICS
- ✓ AUDIO IN/OUT
- ✓ BNC ALARM

POE	5W / 7W	CODEC	H264/H265
WDR	90DB	COLOR	WHITE

WALL SUPPORT: INCLUDED  
JUNCTION BOX: B6BASE1

🌡️ -30~+55°C 🏠/🌳

ECONOMIC CAMERAS

SMART CAMERAS

AI CAMERAS

SPECIALTY IP

NVRS

**EYEBALL**

TEBFDAIP5MP28-AI-PIR



5MP

LENS  
2.8MM

IR  
20M

LUX  
0.001



OPTION

- ✓ ANALYTICS
- ✓ MICROPHONE
- ✓ VEHICLE DETECTION
- ✓ PIR



Onvif®

POE	5W / 7W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: WMB2

JUNCTION BOX: EB3BASE1 - TEBBASE1

-30~+55°C IP66

**EYEBALL**

TEBFDAIP8MP28-PIR-AI-P



8MP

LENS  
2.8MM

IR  
20M

LUX  
0.001



OPTION

- ✓ ANALYTICS
- ✓ MICROPHONE
- ✓ VEHICLE DETECTION
- ✓ SD CARD UP TO 256MG



Onvif®

POE	5W / 7W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: WMB2

JUNCTION BOX: EB3BASE1 - TEBBASE1

-30~+55°C IP66

**EYEBALL**

TEBFDAIP8MP28-AI-PKG



8MP

LENS  
2.8MM

IR  
20M

LUX  
0.001



OPTION

- ✓ ANALYTICS
- ✓ MICROPHONE
- ✓ VEHICLE DETECTION
- ✓ SD CARD UP TO 256MG



Onvif®

POE	8W	CODEC	H264/H265
WDR	120DB	COLOR	DARK GREY

WALL SUPPORT: WMB2-KG

JUNCTION BOX: EB3BASE1-KG

-30~+55°C IP66

**EYEBALL** **NEW**

TEBFDATVI5MP28-AI  
TEBFDATVIP5MP28-AI-B



**TOTAL VIEW**



5MP

LENS  
2.8MM

IR  
30M

LUX  
0.001



OPTION

- ✓ BUILT-IN MICROPHONE TOTAL VIEW
- ✓ SD CARD UP TO 256MG

Onvif®

POE	5W / 7W	CODEC	H264/H265
WDR	120DB	COLOR	BLACK

WALL SUPPORT: WMB2/WMB2-B

JUNCTION BOX: EB3BASE1 - TEBBASE1-B

-30~+55°C IP66

**EYEBALL** **NEW**

TEBFDAIP5MP28-AI-L  
TEBFDAIP5MP28-AI-L-B



5MP

LENS  
2.8MM

IR  
30M

LUX  
0.003



OPTION

- ✓ MICROPHONE
- ✓ SD CARD UP TO 256MG

Onvif®

POE	5W/7W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE/BLACK

WALL SUPPORT: WMB2/WMB2-B

JUNCTION BOX: EB3BASE1 - TEBBASE1

-30~+55°C IP66

**EYEBALL** **NEW**

TEBFDAIP8MP28-AI-L  
TEBFDAIP8MP28-AI-L-B



8MP (4K)

LENS  
2.8MM

IR  
30M

LUX  
0.003



OPTION

- ✓ MICROPHONE
- ✓ SD CARD UP TO 256MG

Onvif®

POE	5W/7W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE/BLACK

WALL SUPPORT: WMB2/WMB2-B

JUNCTION BOX: EB3BASE1 - TEBBASE1

-30~+55°C IP66

**DOME** **NEW**

D2FDA28IP5MP-AI-L



5MP

LENS  
2.8MM

IR  
25M

LUX  
0.003



OPTION

- ✓ MICROPHONE
- ✓ SD CARD UP TO 256MG
- ✓ ALARM OPTION

Onvif®

POE	5W/7W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: WMB6 + D2BASE1-G or WMB2

JUNCTION BOX: EB3BASE5 - D2BASE1

-30~+55°C IP66

ECONOMIC CAMERAS

SMART CAMERAS

AI CAMERAS

SPECIALTY IP

NVRS

### TURRET

T3Z2812IP5MP-AI



Onvif®

5MP

LENS  
2.8-12MM

IR  
35M

LUX  
0.001

OPTION

- ✓ ALARM BNC
- ✓ AUDIO IN/OUT
- ✓ ANALYTICS
- ✓ VEHICLE DETECTION
- ✓ SD CARD UP TO 256MG

POE	5W / 7W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5  
JUNCTION BOX: EB3BASE3

-30~+55°C IP66

### TURRET

T3Z2812IP8MP-AI



Onvif®

8MP

LENS  
2.8-12MM

IR  
35M

LUX  
0.001

OPTION

- ✓ ALARM BNC
- ✓ AUDIO IN/OUT
- ✓ ANALYTICS
- ✓ VEHICLE DETECTION
- ✓ SD CARD UP TO 256MG

POE	5W / 7W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5  
JUNCTION BOX: EB3BASE3

-30~+55°C IP66

### MINI DOME

D2Z288IP5MP-AI



OPTION

- ✓ ANALYTICS
- ✓ SD CARD UP TO 256MG

POE	5W / 7W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: WMB6 + D2BASE1-G OR WMB2  
JUNCTION BOX: D2BASE1

-30~+55°C IP66

5MP

LENS  
2.8-8MM

IR  
25M

LUX  
0.001

### DOME

D6Z2812IP5MP-AI-N



Onvif®

5MP

LENS  
2.8-12MM

IR  
45M

LUX  
0.001

OPTION

- ✓ ALARM BNC
- ✓ AUDIO IN/OUT
- ✓ ANALYTICS
- ✓ VEHICLE DETECTION
- ✓ SD CARD UP TO 256MG

POE	5W / 7W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5  
JUNCTION BOX: EB3BASE3

-30~+55°C IP66

### DOME

NEW

D6Z2812IP5MP-AI-L



OPTION

- ✓ MICROPHONE
- ✓ ALARM AUDIO IN/OUT
- ✓ SD CARD UP TO 256MG

POE	5W/7W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB6  
JUNCTION BOX: EB3BASE4

-30~+55°C IP66

### DOME

D6Z2812IP8MP-AI



Onvif®

8MP

LENS  
2.8-12MM

IR  
40M

LUX  
0.001

OPTION

- ✓ ALARM BNC
- ✓ AUDIO IN/OUT
- ✓ ANALYTICS
- ✓ VEHICLE DETECTION
- ✓ SD CARD UP TO 256MG

POE	5W / 7W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5  
JUNCTION BOX: EB3BASE3

-30~+55°C IP66

### BULLET

B7Z2812IP5MP-AI-N



OPTION

- ✓ ALARM BNC
- ✓ AUDIO IN/OUT
- ✓ ANALYTICS
- ✓ VEHICLE DETECTION
- ✓ SD CARD UP TO 256MG

POE	5W / 7W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: INCLUDED  
JUNCTION BOX: EB3BASE3 OR B6BASE1

-30~+55°C IP66

5MP

LENS  
2.8-12MM

IR  
40M

LUX  
0.001

### BULLET

B7Z2812IP8MP-AI



OPTION

- ✓ ALARM BNC
- ✓ AUDIO IN/OUT
- ✓ ANALYTICS
- ✓ VEHICLE DETECTION
- ✓ SD CARD UP TO 256MG

POE	5W / 7W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: INCLUDED  
JUNCTION BOX: EB3BASE4 OR B6BASE1

-30~+55°C IP66

8MP

LENS  
2.8-12MM

IR  
40M

LUX  
0.001



# BULLET

B7Z550IP8MP-AI



8MP

LENS  
5-50MM

IR  
70M

LUX  
0.001

**OPTION**

- ✓ ANALYTICS
- ✓ AUDIO IN/OUT
- ✓ BNC ALARM



Onvif®

POE	5W / 7W	CODEC	H264/H265
WDR	120DB	COLOR	WHITE

WALL SUPPORT: INCLUDED  
 JUNCTION BOX: B6BASE1

🌡️ -30 ~ +55°C 🏠🌳

ECONOMIC CAMERAS

SMART CAMERAS

AI CAMERAS

SPECIALTY IP

NVRS

**FISHEYE**  
FE360IP5MP



- 5MP
- LENS 1.1MM
- IR 5M
- LUX 0.1

- OPTION**
- ✓ BNC ALARM
  - ✓ AUDIO IN/OUT
  - ✓ MICROPHONE
  - ✗ NO ANALYTICS

Onvif®

POE	5W / 7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE
WALL SUPPORT: FEBASE-G + WMB6			
JUNCTION BOX: FEBASE			
-30~+55°C		IP66	

**FISHEYE**  
FE360IP8MP



- 8MP
- LENS 2.0MM
- IR 5M
- LUX 0.1

- OPTION**
- ✓ BNC ALARM
  - ✓ AUDIO IN/OUT
  - ✓ MICROPHONE
  - ✗ NO ANALYTICS

Onvif®

POE	5W / 7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE
WALL SUPPORT: FEBASE-G + WMB6			
JUNCTION BOX: FEBASE			
-30~+55°C		IP66	

**PINHOLE**  
PIN20IP2MP



- 2MP
- LENS 2MM
- LUX 0.01

- OPTION**
- ✓ AUDIO IN/OUT
  - ✓ STARLIGHT
  - ✓ ANALYTICS

Onvif®

POE	5W / 7W	CODEC	H264/H265
WDR	DIGITAL	COLOR	BLACK
WALL SUPPORT: NONE			
JUNCTION BOX: NONE			
-30~+55°C		IP66	

**PTZ**  
PTZ33XIP5MP-AI



- 5MP
- LENS 4.6-152
- IR 150M
- LUX 0.001

- OPTION**
- ✓ BNC ALARM
  - ✓ STARLIGHT

Onvif®

POE	AC 24V	CODEC	H264/H265
WDR	120DB	COLOR	WHITE
WALL SUPPORT: INCLUDED			
JUNCTION BOX: N/A			
-30~+55°C		IP66	

**PTZ**  
PTZ4XIP8MP-AI **NEW**



- 8MP
- LENS 2.8-12MM
- IR 40MM
- LUX 0.01

- OPTION**
- ✓ AI MIC SPEAKER
  - ✓ STROBE DETERRENCE

Onvif®

POE	7W/12V	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE
WALL SUPPORT: INCLUDED			
JUNCTION BOX: N/A			
-30~+55°C		IP66	

**ALARM & SPEAKER**  
MIC-A10-12V **NEW**



- 12V 2.5W
- SIREN 88dB
- IP66
- MIC 10M

**FEATURES**

- ✓ AI MIC SPEAKER
- ✓ STROBE DETERRENCE
- ✓ WORKS WITH IP CAMERAS
- ✓ NO EXTRA WIRE NEEDED
- ✓ TALK THROUGH MOBILE OR VMS

-30~+55°C IP66

ECONOMIC CAMERAS

SMART CAMERAS

AI CAMERAS

SPECIALTY IP

**NVRS**

**NVR** **NEW**  
GSD-NVR4KFNC-04-N



- 8MP**
- X4 CHANNEL**
- X1 HDD**
- 40 BANDWIDTH**



POE	4	CODEC	H264/H265
ALARM	4	FORMAT	1U
VIDEO OUT APP	HDMI 4K VGA 1080P SMART GUARDIAN		

**NVR** **NEW**  
GSD-NVR4KFNC-08-N



- 8MP**
- X8 CHANNEL**
- X1 HDD**
- 60 BANDWIDTH**



POE	8	CODEC	H264/H265
ALARM	8	FORMAT	1U
VIDEO OUT APP	HDMI 4K VGA 1080P SMART GUARDIAN		

**NVR** **NEW**  
GSD-NVR4KFNC-16-N



- 8MP**
- X16 CHANNEL**
- X2 HDD**
- 168 BANDWIDTH**



POE	16	CODEC	H264/H265
ALARM	16	FORMAT	1U
VIDEO OUT APP	HDMI 4K VGA 1080P SMART GUARDIAN		

**NVR**  
GSD-NVR4KFNC-32NP



- 8MP**
- X32 CHANNEL**
- X2 HDD**
- 320 BANDWIDTH**

POE	N/A	CODEC	H264/H265
ALARM	16	FORMAT	1U
VIDEO OUT APP	HDMI 4K VGA 1080P SMART GUARDIAN		

**NVR**  
GSD-NVR4KFNC-64NP



- 8MP**
- X64 CHANNEL**
- X8 HDD**
- 640 BANDWIDTH**

POE	N/A	CODEC	H264/H265
ALARM	16	FORMAT	2U
VIDEO OUT APP	2X HDMI 4K VGA 1080P SMART GUARDIAN		

**NVR** **COMING SOON**  
GSD-NVR4KFNC-32-N



- 12MP**
- X32 CHANNEL**
- X8 HDD**
- 640 BANDWIDTH**



POE	N/A	CODEC	H264/H265
ALARM	16	FORMAT	2U
VIDEO OUT APP	2X HDMI 4K VGA 1080P SMART GUARDIAN		

**NVR** **COMING SOON**  
GSD-NVR4KFNC-128-NP



- 12MP**
- X128 CHANNEL**
- X16 HDD**
- 800 BANDWIDTH**



POE	N/A	CODEC	H264/H265
ALARM	16	FORMAT	3U
VIDEO OUT APP	4X HDMI 4K VGA 1080P SMART GUARDIAN		

**FIX LENS**

MOTORIZED

DVRS

SPECIALTY ANALOG

HD ANALOG ACCESSORIES

**EYEBALL**

TEBF28A10-2MP-KG  
TEBF28A10-2MP-PIR  
METAL



2MP

LENS  
2.8MM

IR  
20MM

LUX  
0.01



OPTION

✓ TVI-CVI-AHD-960H

POWER	12V 0.4A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE/BLACK

WALL SUPPORT: WMB2/WMB2-B  
JUNCTION BOX: EB3BASE1 - TEBBASE1

-30~+55°C

**EYEBALL**

TEBF28A10-5MP-PIR  
TEBF28A10-5MP-B  
METAL



5MP

LENS  
2.8MM

IR  
30M

LUX  
0.01



OPTION

✓ PIR

TECHNO

TVI-CVI-AHD-960H

POWER	12V 0.4A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE/BLACK

WALL SUPPORT: WMB2/WMB2-B  
JUNCTION BOX: EB3BASE1 - TEBBASE1

-30~+55°C

**EYEBALL**

TEBF28A10-8MP-PIR  
TEBF28A10-8MP-KG  
METAL



8MP

LENS  
2.8MM

IR  
30M

LUX  
0.01



OPTION

✓ PIR

TECHNO

TVI-CVI-AHD-960H

POWER	12V 0.4A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE/BLACK

WALL SUPPORT: WMB2/WMB2-KG  
JUNCTION BOX: EB3BASE1 - TEBBASE1

-30~+55°C

**TURRET**

T2F28A10-2MP  
METAL



2MP

LENS  
2.8MM

IR  
30M

LUX  
0.01



TECHNO

TVI-CVI-AHD-960H

POWER	12V 0.5A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: WMB7 + EB3BASE4 OR WMB5  
JUNCTION BOX: EB3BASE4

-30~+55°C IP66

**TURRET**

T2F28A10-5MP  
METAL



5MP

LENS  
2.8MM

IR  
30M

LUX  
0.01



TECHNO

TVI-CVI-AHD-960H

POWER	12V 0.5A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: WMB7 + EB3BASE4 OR WMB5  
JUNCTION BOX: EB3BASE4

-30~+55°C IP66

**TURRET**

T2F28A10-8MP  
METAL



8MP

LENS  
2.8MM

IR  
30M

LUX  
0.01



TECHNO

TVI-CVI-AHD-960H

POWER	12V 0.4A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: WMB7 + EB3BASE4 OR WMB5  
JUNCTION BOX: EB3BASE4

-30~+55°C IP66

**FIX LENS**

MOTORIZED

DVRS

SPECIALTY ANALOG

HD ANALOG ACCESSORIES

**EYEBALL**

EB2FD28TVI  
EB2FD28TVI-B

METAL



2MP

LENS  
2.8MM

IR  
20M

LUX  
0.01



TECHNO

TVI-CVI-AHD-960H

POWER	12V 0.4A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	BLACK / WHITE

WALL SUPPORT: WMB2  
JUNCTION BOX: EB3BASE4

-30~+55°C IP66

**EYEBALL**

EB2FD28TVI-4MP  
EB2FD28TVI-4MP-B

METAL



5MP

LENS  
2.8MM

IR  
20M

LUX  
0.01



OPTION

✓ TVI-CVI-AHD-960H

POE	12V 0.5A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE/BLACK

WALL SUPPORT: WMB2 AND WMB2-B  
JUNCTION BOX EB2BASE - EB2BASE-B

-30~+55°C IP66

**EYEBALL**

EB2FD28TVI-8MP  
EB2FD28TVI-8MP-B

METAL



8MP

LENS  
2.8MM

IR  
20M

LUX  
0.01



OPTION

✓ TVI-CVI-AHD-960H

POE	12V 0.5A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE/BLACK

WALL SUPPORT: WMB2 AND WMB2-B  
JUNCTION BOX EB2BASE - EB2BASE-B

-30~+55°C IP66

**EYEBALL**

**NEW**

5MP

TEBFTV28A10-5MP  
TEBFTV28A10-5MP-B  
**TOTAL VIEW**



LENS  
2.8MM

IR  
30M

LUX  
0.001



OPTION

✓ ANALOG CAMERA WITH BUILT-IN MICROPHONE

POE	5W / 7W	SIGNAL	TVI-CVI-AHD-960H
WDR	90DB	COLOR	WHITE/BLACK

WALL SUPPORT: WMB2/WMB2-B  
JUNCTION BOX: EB3BASE1 - TEBBASE1

-30~+55°C IP66

**BULLET**

B2F28A10-5MP



5MP

LENS  
2.8MM

IR  
30M

LUX  
0.01



TECHNO

TVI-CVI-AHD-960H

POWER	12V 0.4A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: INCLUDED  
JUNCTION BOX: EB3BASE4

-30~+55°C IP66

**DOME**

D2F28A10-5MP



5MP

LENS  
2.8MM

IR  
30M

LUX  
0.01



TECHNO

TVI-CVI-AHD-960H

POWER	5W / 7W	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: WMB6 + D2BASE1-G OR WMB2  
JUNCTION BOX: D2BASE1

-30~+55°C IP66

FIX LENS

MOTORIZED

DVRS

SPECIALTY ANALOG

HD ANALOG ACCESSORIES

### EYEBALL

EB3VF2812TVI  
EB3VF2812TVI-B  
METAL



TECHNO  
TVI-CVI-AHD-960H

2MP

LENS  
2.8-12MM

IR  
35M

LUX  
0.001

POWER	12V 0.5A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE/BLACK

WALL SUPPORT: WMB2 AND WMB2-B  
JUNCTION BOX: EB3BASE2 / EB3BASE2-B

-30~+55°C IP66

### EYEBALL

EB3VF2812A10-4MP  
EB3VF2812A10-4MP-B  
METAL



TECHNO  
TVI-CVI-AHD-960H

5MP

LENS  
2.8-12MM

IR  
35M

LUX  
0.001

POWER	12V 0.5A	SIGNAL	TVI-CVI-AHD-960H
WDR	120DB	COLOR	WHITE/BLACK

WALL SUPPORT: WMB2 AND WMB2-B  
JUNCTION BOX: EB3BASE2 / EB3BASE2-B

-30~+55°C IP66

### TURRET

T3VF2812A10-5MP



TECHNO  
TVI-CVI-AHD-960H

5MP

LENS  
2.8-12MM

IR  
30M

LUX  
0.001

POWER	12V 0.5A	SIGNAL	TVI-CVI-AHD-960H
WDR	120DB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5  
JUNCTION BOX: EEB3BASE3

-30~+55°C IP66

### DOME

D6ZVFD2812A10-5MP



TECHNO  
TVI-CVI-AHD-960H

5MP

MOTORIZED  
LENS  
2.8-12MM

IR  
40M

LUX  
0.001

POWER	12-24V	SIGNAL	TVI-CVI-AHD-960H
WDR	120DB	COLOR	WHITE

WALL SUPPORT: WMB6 + EB3BASE3-G OR WMB5  
JUNCTION BOX: EB3BASE3

-30~+55°C IP66

### BULLET

B6VF2812TVI



TECHNO  
TVI-CVI-AHD-960H

2MP

LENS  
2.8-12MM

IR  
35M

LUX  
0.001

POWER	12/24V 0.7A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: INCLUDED  
JUNCTION BOX: B6BASE1

-30~+55°C IP66

### BULLET

B7ZD2812A10-5MP



TECHNO  
TVI-CVI-AHD-960H

5MP

LENS  
2.8-12MM

IR  
40M

LUX  
0.001

POWER	12V 0.7A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: INCLUDED  
JUNCTION BOX: B6BASE1

-30~+55°C IP66

### BULLET

B6ZD550TVI



TECHNO  
TVI-CVI-AHD-960H

2MP

MOTORIZED  
LENS  
2.8-12MM

IR  
60M

LUX  
0.001

POWER	12/24V 0.7A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: INCLUDED  
JUNCTION BOX: B6BASE1

-30~+55°C IP66

### BULLET

B7ZD550A10-5MP



TECHNO  
TVI-CVI-AHD-960H

5MP

MOTORIZED  
LENS  
2.8-12MM

IR  
70M

LUX  
0.001

POWER	12/24V 0.7A	SIGNAL	TVI-CVI-AHD-960H
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: INCLUDED  
JUNCTION BOX: B6BASE1

-30~+55°C IP66

FIX LENS

MOTORIZED

DVRS

**SPECIALTY ANALOG**

HD ANALOG ACCESSORIES

### COVERT

CVT37IR  
MOTION



TECHNO  
TVI-CVI-AHD-960H

**2MP**

**LENS**  
3.6MM

**IR**  
15M

**LUX**  
0.01

Onvif®

POWER	12V 0.3A	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: INCLUDED  
JUNCTION BOX: NONE

🌡️ -30~+55°C 🏠/🌳 IP66

### PTZ

PTZ18XTVI



TECHNO  
TVI-CVI-AHD-960H

**2MP**

**LENS**  
5-94MM

**IR**  
125M

**LUX**  
0.01

Onvif®

POWER	1AMP	CODEC	H264/H265
WDR	DIGITAL	COLOR	WHITE

WALL SUPPORT: INCLUDED  
JUNCTION BOX: NONE

🌡️ -30~+55°C 🏠/🌳 IP66

FIX LENS

MOTORIZED

**DVRS**

SPECIALTY ANALOG

HD ANALOG ACCESSORIES

### DVR 4K

GSD-DVRFNC4K-04-N



8MP

X4 CHANNEL

X1 HDD

IP CAM UP TO 6



TECHNO  
TVI/CVI/AHD  
ANALOG/IP

Onvif®

FPS UP TO 30 @ 4K      SIGNAL TVI|AHD|CVI|CBVS  
SPOT MONITOR OUT

VIDEO OUT:      HDMI 4K VGA 1080P  
APP:              SMARTGUARDIAN



### DVR 4K

GSD-DVRFNC4K-08-N



8MP

X8 CHANNEL

X1 HDD

IP CAM UP TO 12



TECHNO  
TVI/CVI/AHD  
ANALOG/IP

Onvif®

FPS UP TO 30 @ 4K      SIGNAL TVI|AHD|CVI|CBVS  
SPOT MONITOR OUT

VIDEO OUT:      HDMI 4K VGA 1080P  
APP:              SMARTGUARDIAN



### DVR 4K

GSD-DVRFNC5MP-16-N



5MP

X16 CHANNEL

X2 HDD

IP CAM UP TO 8



TECHNO  
TVI/CVI/AHD  
ANALOG/IP

Onvif®

FPS UP TO 30 @ 4K      SIGNAL TVI|AHD|CVI|CBVS  
SPOT MONITOR OUT

VIDEO OUT:      HDMI 4K VGA 1080P  
APP:              SMARTGUARDIAN



### HD DVR 1080P

GSD-DVRFNC-32



2MP

X32 CHANNEL

X8 HDD

IP CAM UP TO 8

TECHNO  
TVI/CVI/AHD  
ANALOG/IP

Onvif®

FPS UP TO 30 @ 1080P      SIGNAL TVI|AHD|CVI|CBVS  
SPOT HDMI OUT

VIDEO OUT:      2X HDMI 4K VGA 1080P  
APP:              SMARTGUARDIAN



### DVR 4K

GSD-DVRFNC4K-08-N-AI



**NEW**

8MP

X8 CHANNEL

X1 HDD

IP CAM UP TO 12



TECHNO  
TVI/CVI/AHD  
ANALOG/IP

Onvif®

FPS UP TO 30 @ 4K      SIGNAL TVI|AHD|CVI|CBVS  
SPOT OUT

VIDEO OUT:      1X HDMI 4K VGA 1080P  
APP:              SMARTGUARDIAN





## WIRELESS KIT

### FNCWL2MP-08/4C

5X BAT-WLFNC / 1X POWER SUPPLY  
1X ITB HDD / 1X NVRWLFNC-2MP  
4X B2F28WL-2MP

- 2MP
- X8 CHANNELS
- X1 HDD
- X1 SD CARD



OPTION  
✓ MICROPHONE / PIR

Onvif®

POE	12V 0.5A	CODEC	H264/H265
WDR	DIGITAL	FORMAT	METAL

APP: SMARTGUARDIAN  
VIDEO OUT: HDMI 4K VGA 1080P  
POWER: BATTERY

🌡️ -30~+55°C 🏠/🌳 IP66

HDD NOT INCLUDED

## IP KIT METAL

### FNCIP4K-08/4C-XMP

1X GSD-NVR4KFNC-08  
4X TEBFDAIP5MP28-AI-L

- XMP
- X8 PORT
- X1 HDD
- X8 POE



OPTION  
✓ MICROPHONE

Onvif®

POE	12V 0.5A	CODEC	H264/H265
WDR	DIGITAL	FORMAT	METAL

APP: SMARTGUARDIAN  
VIDEO OUT: HDMI 4K VGA 1080P  
WALL SUPPORT: WMB2  
JUNCTION BOX: TEB3BASE1

🌡️ -30~+55°C 🏠/🌳 IP66

HDD NOT INCLUDED

## HD ANALOG KIT METAL

### FNCAIO4K-08/4C-XMP

1X GSD-DVRFNC4K-08  
4X TEBF28AIO-XMP

- XMP
- X8 PORT
- X1 HDD
- X8 POE



OPTION  
NONE

Onvif®

POE	12V 0.5A	CODEC	H264/H265
WDR	DIGITAL	FORMAT	METAL

APP: SMARTGUARDIAN  
VIDEO OUT: HDMI 4K VGA 1080P  
WALL SUPPORT: WMB2  
JUNCTION BOX: TEB3BASE1

🌡️ -30~+55°C 🏠/🌳 IP66

HDD NOT INCLUDED

## AI KIT

HUMAN & VEHICLE DETECTION

FNCIP4K-08/4C-8MP-KG-AI  
FNCIP4K-08/4C-8MP-AI

GSD-NVRFNC4K-08-N  
4X TEBFDAIP8MP28-AI-KG  
4x TEBFDAIP8MP28-AI



- OPTION
- ✓ HUMAN/VEHICUL DETECTION
  - ✓ FACIAL DETECTION
  - ✓ HEAT MAPS
  - ✓ ALL SMART FEATURES



- 8MP
- X8 PORT
- X1 HDD
- X8 POE

Onvif®

POE	12V 0.5A	CODEC	H264/H265
WDR	DIGITAL	FORMAT	METAL

APP: SMART GUARDIAN  
VIDEO OUT: HDMI 4K VGA 1080P  
WALL SUPPORT: WMB2  
JUNCTION BOX: TEB3BASE1

🌡️ -30~+55°C 🏠/🌳 IP66

HDD NOT INCLUDED

FIX LENS

MOTORIZED

DVRS

SPECIALTY ANALOG

**HD ANALOG ACCESSORIES**



## BALUNHD

BALUN OVER TWISTED PAIR

DISTANCE 700+ FEET  
 FORMAT PIGTAIL  
 DETAILS 2MP / 5MP / 8MP  
 PACKAGE PAIR  
 TECHNO TVI / CVI / AHD / ANALOG



## BALUNTHDA+

VIDEO / POWER / AUDIO OVER CAT5

DISTANCE 400+  
 FORMAT PIGTAIL  
 DETAILS VIDEO POWER AUDIO  
 PACKAGE PAIR  
 TECHNO TVI / CVI / AHD / ANALOG



## BALUNHD-4CH

4CH BALUN OVER CAT5

DISTANCE 700+ FEET  
 FORMAT PIGTAIL  
 DETAILS PASSIVE 4CH OVER CAT5  
 PACKAGE SINGLE  
 TECHNO TVI / CVI / AHD / ANALOG



## GRDLOOPHD

GROUND LOOP ISOLATOR












DISTANCE UP TO 700  
 FORMAT N/A  
 DETAILS GROUND LOOP ISOLATOR  
 PACKAGE UNIT  
 TECHNO TVI / CVI / AHD / ANALOG



## BALUNHD+

VIDEO / POWER OVER CAT5

DISTANCE 400+  
 FORMAT PIGTAIL  
 DETAILS VIDEO POWER  
 PACKAGE PAIR  
 TECHNO TVI / CVI / AHD / ANALOG

	POE SWITCH	PORT	POE	UPLINK	POWER OUT	FORMAT	POWER IN	BANDWIDTH
	SWC5POE-GIGA	4	YES	1	96W	802.3AF/AT	48V / 2 A	10/100
	SWC10POE-GIGA	8	YES	1	196W	802.3AT/AT	48V/ 2.5A	10/100
	SWC18POE-GIGA	16	YES	2	250W	802.3AF/AT	120V	GIGA
	SWC28POE-GIGA	24	YES	4	450W	802.3AF/AT	120V	GIGA
	EXTPOE	1	YES	N/A	15.5W	802.3AF	POE	10/100 ONLY
	EXT-4POE	4	YES	1	25.5W	802.3AF	POE + 25W	10/100 ONLY
	EXT-KVM	N/A	N/A	N/A	N/A	HDMI	5V	N/A
	INJPOE25W	1	YES	NO	25W	802.3AT	48V/ 2.5A	10/100/1000
	IPCOAX-300M	1	YES	N/A	25W	802.3AF/AT	48V/ 2.5A	10/100 ONLY
	TXRX-300M-IP	1	NO	N/A	N/A	N/A	12V	GIGA
	MON-TEST-7P	2	YES	YES	48V	7"	12V	N/A

MODEL

COLOR

DETAILS



EB2BASE  
EB2BASE-B

WHITE/BLACK

JUNCTION BOX EB2FD TVI



EB3BASE2  
EB3BASE2-B

WHITE/BLACK

JUNCTION BOX EB3 TVI



EB3BASE3

WHITE

JUNCTION BOX T3/D6



EB3BASE3-G

WHITE

PENDANT T3/D6



EB3BASE4  
EB3BASE4-B

WHITE/BLACK

JUNCTION BOX T2/TEB



EB3BASE4-G

WHITE

PENDANT T2/TEB



FEBASE

WHITE

JUNCTION BOX FISHEYE



FEBASE-G

WHITE

PENDANT FISHEYE



TEBBASE1  
TEBBASE1-B

WHITE

JUNCTION BOX TEB

MODEL

COLOR

DETAILS



D2BASE1

WHITE

JUNCTION BOX FIT D2



D2BASE1-G

WHITE

PENDANT FIT D2



WMB2  
WMB2-B

WHITE/BLACK

WALL MOUNT FIT TEB/D2



WMB5

WHITE

WALL MOUNT FIT T2/T3/D6



WMB6

WHITE

WALL MOUNT FIT PENDANT



COMB6

WHITE

CORNER MOUNT BRACKET



CMB6

WHITE

CEILING MOUNT BRACKET FIT - G



PMB6

WHITE

POLE MOUNT BRACKET



DUAL CAM  
BRACKET

WHITE

DUAL JUNCTION BOX



B6BASE1

WHITE

JUNCTION BOX FIT B2/B6/B7

**MONITOR 22INCH**

LED 1080P HDMI

UNIT

**PWR-12V-2AMP**

POWER SUPPLY

UNIT

**PWR-12V-3AMP**

POWER SUPPLY

UNIT

**PWR-12V-5MP**

POWER SUPPLY

UNIT

**PWR-12V-10AMP**

POWER SUPPLY

UNIT

**POWER-12V-10AMP-4PIN**

POWER SUPPLY

UNIT

**POWER-48V-1.5AMP-4PIN**

POWER SUPPLY

UNIT

**POWER-48V-2.5AMP-4PIN**

POWER SUPPLY

UNIT

**SPLIT-4 PIGTAIL**

PIGTAIL POWER SPLITTER 1-4

UNIT

**MIC-CAM-KIT**

12V MICROPHONE / RCA

UNIT

**T-BLOCKS**

POWER CONNECTOR

UNIT

EXAMPLE

**D6 ZVF D 28 12 AIO - XMP**

DOME

- FLF
- D2
- D6

EYEBALL

- TEB
- EB3
- EB2

TURRET

- T2
- T3

BULLET

- B6
- B7

<b>D</b>	DUAL VOLTAGE
<b>Z</b>	MOTORIZED LENS
<b>VF</b>	VARIFOVAL LENS
<b>F</b>	FIXED LENS
<b>B</b>	BLACK COLOR
<b>KG</b>	KOREAN GREY COLOR
<b>AI</b>	ARTIFICIAL INTELLIGENCE
<b>L</b>	LITE (NO ANALYTICS, NO SMART FONCTIONS, NO ONVIF)
<b>P</b>	PRIVATE
<b>PIR</b>	INFRA RED PERIMETER
<b>FDA</b>	FIXED <b>DOME</b> MICROPHONE
<b>FE</b>	FISHEYE LENS
<b>360</b>	360 VIEW
<b>28</b>	2.8 , 2.8-12, 5-50, : LENS SIZE IN MM
<b>IP</b>	INTERNET PROTOCOL
<b>AIO</b>	ANALOG HD (ALL IN ONE)
<b>CVT</b>	COVERT CAMERA
<b>PTZ</b>	POINT TILT ZOOM
<b>PIN</b>	PINHOLE

8MP

5MP

2MP



 T. 1.866.791.7020 / F. 1.866.936.0553

 GSDGROUPINC

 G-S-D-GROUP

 G.S.D GROUP INC