



SMALL EYEBALL

TEBF28A10-5MP



5MP - 25FPS

4 IN 1 - TVI / CVI / AHD / ANALOG

DWDR / BLC / PIR

FIX 2.8MM LENS

12 VDC

IR 30M MATRIX LED

3 YEARS WARRANTY



SMALL EYEBALL

MODEL: TEBF28A10-5MP






MENU	
• AGC	✓ YES
• DAY/NIGHT MODE	EXT/AUTO/COLOR/BW (BLACK AND WHITE)
• WHITE BALANCE	AUTO/MANUAL
• BLC	✓ YES
• S/N RATIO	35DB
• OSD	SUPPORT

INTERFACE	
• VIDEO OUTPUT TERMINATION	1-CHANNEL BNC VIDEO OUTPUT
• SWITCH BUTTON	AHD/TVI/CVI/CVBS

GENERAL	
• PIR ANGLE	UP TO 115°
• PIR DISTANCE	UP TO 7M
• IP RATING	IP66
• POWER SUPPLY	12V
• POWER CONSUMPTION	MAX 3W
• IR RANGE	UP TO 30M
• COMMUNICATION	UP THE COAX, PROTOCOL

• IMAGE SENSOR	1/2.7" PROGRESSIVE CMOS
• SIGNAL SYSTEM	PAL/NTSC
• FRAME RATE	5AHD/5TVI: 5MP@20FPS 4AHD/4CVI/4TVI: 4MP/P@25FPS 4MP/N@30FPS CVBS: 960H
• RESOLUTION	5MP 2592(H)X1944(V)
• MIN.ILLUMINATION	0.05LUX@F1.2(AGC ON),0LUX WITH IR ON
• SHUTTER TIME	1/15 S TO 1/50,000 S
• LENS	2.8 MM, FIXED LENS
• HORIZONTAL FIELD OF VIEW	H.FOV:92°(2.8)
• DAY & NIGHT	IR CUT FILTER
• IR CUT FILTER	✓ YES, 850NM
• SYNCHRONIZATION	INTERNAL SYNCHRONIZATION
• DWDR	SUPPORT
• AUDIO	N/A

DIMENSIONS






TEBF28A10-5MP

ACCESSORIES



EB3BASE4
JUNCTION BOX

WMB2
WALL MOUNT



OR

EB3BASE4-G
GOOSE MOUNT



+

WMB6
WALL MOUNT



COMPLEMENTARY ACCESSORIES



CMB6
CEILING MOUNT BRACKET



PMB6
POLE MOUNT BRACKET



COMB6
CORNER MOUNT BRACKET



BALUNHD
BALUN HD



GRDLOOP-HD
GROUND LOOP HD



BALUNHD+
BALUN HD +